

## SPE RESPONSE FOR CERTIFICATE OF CORRECTION

DATE

: 3/9/06Paper No.: 13

TO SPE OF : ART UNIT

2132

SUBJECT

: Request for Certificate of Correction on Patent No.:

6249868

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Palm location **7580, Certificates of Correction Branch – South Tower – 9A22**

If response is for an IFW, return to employee (named below) via PUBSCofC Team in **MADRAS**.

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction (COCIN)? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Lamonte M. Newsome

Thank You For Your Assistance

Certificates of Correction Branch

Tel. No. 703-305-8309

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.



Approved

All changes apply.

☐ Approved in Part

Specify below which changes do not apply.

☐ Denied

State the reasons for denial below.

Comments:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Gilberto Barron Jr.  
GILBERTO BARRON JR.  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100

2132

SPE

Art Unit

Staple  
Here  
Only

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 6,249,868 **B1**  
DATED : June 19, 2001  
INVENTOR : Edward G. Sherman et al.

It is certified that an error appear in the above identified patent and that said Letters Patent is hereby corrected as shown below:

In column 38, claim 44, line 27, delete the word "device" and insert the word  
-- component --.

**A**

MAILING ADDRESS OF SENDER:

*OLYMPIC PATENT WORKS PLLC*  
P.O. Box 4277  
Seattle, WA 98194-0277  
206.621.1933 telephone  
206.621.5302 fax

Patent No. 6,249,868

No. add'l. copies: 4

JAN 23 2006